

ALL NEW PROACE



5 year
TOYOTA
WARRANTY



TOYOTA

ALWAYS A
BETTER WAY



TOYOTA BETTER HAPPY TRUST TOGETHER YOU

EVERY DAY WE LOOK AHEAD, MOVE FORWARD, EVOLVE. OUR PASSION IS ALWAYS TO DELIGHT – WITH A VEHICLE THAT EXCEEDS EXPECTATIONS, THRILLS, EXCITES, REASSURES AND DELIVERS BETTER FOR TODAY’S WAY OF LIFE. TAKE US FOR GRANTED.

TOYOTA. ALWAYS A BETTER WAY





CONTENTS

6 RANGE
8 LOAD CAPACITY
10 COMFORT
12 ENGINES

14 SAFETY
16 GRADES
22 OPTIONS
24 COLOURS, WHEELS, TRIMS

26 SPECIFICATIONS
31 EQUIPMENT
34 OPEN FOR BUSINESS

THIS IS VAN LIFE

From capable load-lugger to versatile people carrier, the PROACE offers solutions you can trust to meet every need.



PROACE Long-Panel Van

Cargo volume: **6.6m³***

Payload up to: **1400 kg**

* With Smart Cargo (optional on Base and Comfort grade).



LENGTH



WIDE CHOICE EQUALS SMART SOLUTIONS

With a choice of body style and length combinations, the All New PROACE gives you the choice to best fit your needs.

From small start-up to growing enterprise, whatever the size of your business, you'll find the PROACE is designed to be every van you need. Thanks to an extensive choice of combinations including: four body styles, three lengths and two configurations of rear door – you can be confident the PROACE has the solution for every job.

4 BODY STYLES



PANEL VAN



CREW CAB



COMBI



PLATFORM CAB*

* Platform Cab not available until 2017, see your local Toyota Centre for further information.

LOAD SPACE TO HANDLE EVERY DEMAND


Impressive capacity, practical access and three lengths means the versatile All New PROACE has enough space for the biggest range of loads.

The PROACE Compact is the perfect workhorse for tight spaces. Its unique small 4.6m body sets new standards providing the largest cargo space in its class and, with the Smart Cargo load-through bulkhead opened, also the longest at a surprising 3.3m, giving you unbeatable volume and payload capacity. Class-leading access is provided by a low-loading floor and wide opening sliding side doors and rear doors, while best-in-class payload capacity means you can carry even more.

If your demands are even greater, then the extra capacity of PROACE Medium and Long models will have it covered with body lengths increasing to 4.9m and 5.3m respectively.


The All New PROACE Compact is the perfect workhorse for tight jobs. Its short 4.6m long body houses best-in-class cargo space to provide unbeatable volume and payload capacity.

3 seats 




PROACE Compact*

Cargo length: 3324 mm
Cargo height: 1397 mm
Cargo width: 1628 mm
Maximum payload: 1000 kg
Number of Euro pallets: 2



PROACE Medium*

Cargo length: 3674 mm
Cargo height: 1397 mm
Cargo width: 1628 mm
Maximum payload: 1400 kg
Number of Euro pallets: 3



PROACE Long*

Cargo length: 4026 mm
Cargo height: 1397 mm
Cargo width: 1628 mm
Maximum payload: 1400 kg
Number of Euro pallets: 3

* All figures above are based on a vehicle with Smart Cargo. Smart Cargo is an option on Base and Comfort grades.





4.6m

WORK SMART, WORK COMFORTABLY

Comfortable interiors, intelligent mobile office solutions and practical loading features make the All New PROACE a smart place to work in.

A smooth and quiet drive and supportive seats help you to soak up long distances at the wheel, while the PROACE Compact's impressive front-seat configuration allows three people to sit together in comfort. The innovative Smart Cargo option which combines three features – Mobile Office, upright folding front seat and Smart Cargo load-through bulkhead – enhances the PROACE's cabin with useful practicality.

The PROACE's optional navigation system* is equipped with 10 years' Connected Services, so wherever you are, you can concentrate on the job at hand while enjoying having the information you need at your fingertips.



* Optional on Comfort Van with Premium Pack.

§ Optional on Base and Comfort grades.



The PROACE's Smart Cargo⁸ option features a two-person front bench and Mobile Office solution to give you valuable flexibility when you need to carry more passengers – and the convenience of a table when you don't.



Providing an additional load length of 116 cm, while still accommodating two people up front, the PROACE's optional Smart Cargo load-through bulkhead will certainly go to extra lengths for you.



Offering a further 0.5m³ of storage space, the PROACE's optional Smart Cargo upright folding front seat – lets you utilise valuable space in the cabin when you need to transfer that little bit extra.



The PROACE's optional under seat storage solution offers you and your passengers a convenient home for daily apparatus, stored neatly inside the front bench seat (not compatible with Smart Cargo option).



The PROACE's optional high-resolution navigation system* comes complete with Connected Services. This features: real-time traffic, TomTom places, weather, parking, fuel prices and danger zones (speed camera) alerts.

FUEL-SAVING POWER

Advanced diesel engines and smooth transmissions combine cost-saving fuel efficiency with great driveability.

With a complete line-up of advanced diesel engines and smooth transmissions, the All New PROACE gives you power to match its load-lugging ability and fuel efficiency that you'll appreciate at the pumps. With two responsive diesel engines to choose from – 1.6 and 2.0 litre; three power outputs – from 90 DIN hp to 120 DIN hp; and two transmissions – 5- and 6-speed manual, there's a powertrain for every professional. By incorporating Stop & Start technology across the range*, the PROACE offers impressive fuel economy and CO₂ emissions from 137 g/km[‡].

* Not available for 1.6 litre 95 DIN hp.

‡ Combined cycle.



**DIESEL**
**1.6 Diesel (95 hp)
5-Speed Manual**

Power
95 DIN hp

Fuel consumption[°]
51.36 mpg

CO₂ emissions[°]
144 g/km

Acceleration (0–62 mph)
15.5 seconds

Available on
**Compact and
Medium only**

**DIESEL**
**1.6 Diesel (115 hp)
6-Speed Manual**

Power
115 DIN hp

Fuel consumption[°]
54.32 mpg

CO₂ emissions[°]
137 g/km

Acceleration (0–62 mph)
12.9 seconds

Available on
Medium only

**DIESEL**
**2.0 Diesel (120 hp)
6-Speed Manual**

Power
120 DIN hp

Fuel consumption[°]
53.29 mpg

CO₂ emissions[°]
139 g/km

Acceleration (0–62 mph)
13.3 seconds

Available on
**Medium and
Long only**

[°] Combined cycle.



**SCAN THIS
QR CODE.**
Find out more
on Toyota
Safety Sense.



All active safety technologies are intended to be back-up systems only and are not a substitute for safe and attentive driving. The functionality of these systems may be impacted by driving conditions. Further information is available from your local Toyota Centre.

SAFETY AT WORK

A range of advanced safety features helps to keep you and your passengers out of harm's way.

When your business takes you on the road every day, you want to know that you're travelling in safe hands. With Toyota Safety Sense[§] in the All New PROACE, you're doing just that. The innovative Toyota Safety Sense package includes Adaptive Cruise Control and Pre-Collision System.

Toyota Safety Sense

- Pre-Collision System
- Adaptive Cruise Control[°]
- Full Alarm System
- 7" Toyota Pro Touch display
- Cornering lights
- Rain-Sensing Wipers
- Dusk-Sensing Headlights
- Head Up Display

Combine all these features with a 5-star* EuroNCAP safety rating, makes the PROACE a safe place to spend a busy working day.

* Combi models only.

[§] Toyota Safety Sense is optional on Comfort grade.


[°] The Adaptive Cruise Control system is able to reduce its speed to 12 mph, acting only on accelerator. There is no active braking action.

Head Up Display provides all the driving information you need, projected into your line of sight – vehicle speed, Cruise Control/speed limiter information, vehicle distance, emergency braking alerts and navigation alerts (additional option Navi).

Forward Collision Warning alerts the driver to react to a situation of risk or imminent collision. A visual and audible warning is emitted. This action comes just before AEB is triggered.

Supplemental Restraint System (SRS) airbags

This model is fitted with four airbags*, including SRS airbags for both driver and front passenger, and side airbags for the front seats.




Pre-Collision System

Reduces bodily damage to vehicle passenger and other passengers:

- 0–18 mph: prevents collision with mobile or fixed obstacles, including pedestrians
- Above 18 mph: speed reduction before impact

System automatically associated with Autonomous Emergency Braking (AEB).



Adaptive Cruise Control (ACC)

ACC keeps you at a minimum preset distance from the vehicle in front. If this distance falls, the system progressively reduces your speed using engine braking. If the distance increases again, ACC will gradually accelerate until you return to your chosen cruising speed.




BASE GRADE




PROACE Medium-Panel Van
Base grade

Base grade options


3 seats 



PROACE Compact
1.6 D 5 M/T 95 DIN hp



PROACE Medium
1.6 D 5 M/T 95 DIN hp, 1.6 D 6 M/T 115 DIN hp
2.0 D 6 M/T 120 DIN hp



PROACE Long
2.0 D 6 M/T 120 DIN hp

* Maximum cargo volume with Smart Cargo. Optional on Base and Comfort grades.

BASE GRADE



Main features

- 16" steel wheels with hub cap
- Full spare wheel
- Power-adjustable door mirrors
- Twin sliding side doors
- Daytime running lights (bulb type)
- Cruise Control
- Vehicle Stability Control (VSC)
- Twin rear doors
- Tyre Pressure Monitoring System
- Remote central locking
- Hill-start Assist Control (HAC)
- Grey fabric seats
- Driver's seat armrest
- Front power windows
- DAB radio
- USB connector
- Bluetooth® hands-free system
- Black bumpers and door handles

- Driver & passenger airbags
- Steel panel bulkhead

Optional features

- Smart Cargo (Bulkhead opening, lift-up passenger seat, fold-out table and driver's seat with height adjustment and lumbar support)
- Manual air conditioning



SCAN THIS QR CODE.
Configure your PROACE.


COMFORT GRADE




PROACE Comfort grade

Comfort grade options


3 or 6 seats  / 




PROACE Compact
1.6 D 5 M/T 95 DIN hp



PROACE Medium
1.6 D 5 M/T 95 DIN hp, 1.6 D 6 M/T
115 DIN hp, 2.0 D 6 M/T 120 DIN hp



PROACE Long
2.0 D 6 M/T 120 DIN hp



PROACE Crew Cab
2.0 D 6 M/T 120 DIN hp

COMFORT GRADE



Main features (additional to Base)

- Improved sound proofing
- Full wheel covers (5-triple-spoke)
- Air conditioning
- Storage under passenger's bench seat⁵
- Panel bulkhead with window and protective grille
- Coloured bumpers
- Coloured side mirrors
- Coloured door handles
- 12V socket in rear

- Front fog lights
- Lighted and chilled upper glovebox
- Driver's seat with height adjustment and lumbar support

Optional features

- Full tailgate (only on Medium and Long, excluding 95 DIN hp)
- Toyota Safety Sense (Forward Collision Warning, Adaptive Cruise


- Control, Pre-Collision System, Head-Up Display, cornering lights, rain and dusk sensors, auto-dimming rear-view mirror, Toyota Pro-Touch 7" screen)
- Premium Pack (17" alloy wheels, Toyota Pro-Touch 7" screen with navigation)


⁵ Not compatible with optional Smart Cargo.

COMBI GRADE



PROACE Medium-Combi

Combi grade options 9 seats 



PROACE Medium-Combi
1.6 D 6 M/T 115 DIN hp



COMBI GRADE



Main features (additional to Base)

- 9-seat configuration
- Front side airbags
- Full alarm system
- Inside rear-view mirror
- Full plastic floor lining
- Full tailgate with heated glass
- Manual child safety system
- Storage under passenger's bench seat
- Driver's seat height adjustment
- Privacy glass

Optional features

- Manual air conditioning
- PVC seats and manual air conditioning

OPTIONS

INTERIOR LINING KITS

Toyota lining accessories make it easy to convert the PROACE load space to ideally suit your business. Varying from covering the sides, floor and wheel arches, to an anti-slip floor, these ply lining solutions will keep the inside of your PROACE protected with even the most challenging loads.

PROACE OPTIONS	Compact	Medium	Long
Standard ply lining: 6 mm ply side panels, 9 mm floor and wheel arch boxes	○	○	○
Standard ply lining with anti-slip floor: 6 mm ply side panels, 9 mm standard ply wheel arch boxes, 9 mm floor with anti-slip coating	○	○	○
Plastic lining: fluted plastic side panels, 9 mm standard ply wheel arch boxes, 9 mm floor with anti-slip coating	○	○	○

○ = Optional

Please contact your local Toyota Centre for details of the full accessory range.

PARKING PACK



When space is tight, the guidance given by the Toyota parking aid system helps avoid accidental scrapes. Ultrasonic sensors in the rear bumper link to an in-van audible warning that automatically activates when reverse gear is engaged. The warning beeps become progressively more frequent the closer your vehicle gets to an obstacle.

The system can also be switched off when you don't need it, such as when towing a trailer.



**SCAN THIS
QR CODE.**
Configure your
PROACE.

FINISH THE JOB IN STYLE



EWP Vivid White



NEU Grey Limestone*



EZR Aluminium Silver*



EVL Falcon Grey*



EXY Storm Black



KNP Marina Blue



KJF Blazing Red[§]



KHK Ember Orange*



KCM Rich Oak*



16" steel wheels
Standard on Base and Combi



16" steel wheels with wheel caps (5-triple-spoke)
Standard on Comfort



17" alloy wheels
Optional on Comfort as part of Premium Pack



Light grey fabric (42FR)
Standard on Base and Combi



Dark grey fabric (43FT)
Standard on Comfort



Light grey PVC with fabric inserts (0VFX)
Optional on Base and Comfort as part of Smart Cargo pack

SPECIFICATIONS

ENVIRONMENTAL PERFORMANCE

	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (115 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual
Fuel consumption – Combined (mpg)	51.4	54.3	53.5
Fuel consumption – Urban (mpg)	47.1	50.4	47.9
Fuel consumption – Extra urban (mpg)	54.3	56.5	57.6
Fuel tank capacity	69	69	69
CO ₂ Combined (g/km)	144	137	139
CO ₂ Urban (g/km)	156	148	154
CO ₂ Extra urban (g/km)	136	131	129
Euro class	EURO 6	EURO 6	EURO 6
Carbon Monoxide, CO (mg/km)	259.3	195.9	222.7
Hydrocarbons, THC & Nitrogen Oxides, NOx (mg/km)	69.6	54	75.8
Nitrogen Oxides, NOx (mg/km)	48.2	34.7	65.1
Sound level drive by (dB(A))	69	69	72

Quoted mpg & CO₂ figures: All mpg and CO₂ emissions figures stated in this brochure are sourced from official EU-regulated tests. These are provided for comparability purposes and may not reflect your actual driving experience. For further information please see the back cover of this brochure.

ENGINE

	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (115 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual
Engine code	3WZ-TV	3WZ-HV	4WZ-FTV
Number of cylinders	4 cylinder, in line	4 cylinder, in line	4 cylinder, in line
Valve mechanism	8-valve DOHC, belt driven	8-valve DOHC, belt driven	16-valve DOHC, belt driven
Fuel injection system	Common rail diesel direct injection	Common rail diesel direct injection	Common rail diesel direct injection
Displacement (cc)	1560	1560	1997
Bore x stroke (mm x mm)	75 x 88.3	75 x 88.3	85 x 88.0
Compression ratio	17.0:1	17.0:1	16.7:1
Maximum torque (Nm@rpm)	210@1750	300@1750	340@2000
Maximum output (DIN hp)	95	115	120
Maximum output (kW@rpm)	70@3750	85@3750	90@4000

TRANSMISSION

	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (115 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual
--	--	---	---

Transmission type	Manual	Manual	Manual
Gear 1	7.17	7.54	7.54
Gear 2	13.27	14.39	14.39
Gear 3	21.43	23.54	23.54
Gear 4	30.13	33.42	33.42
Gear 5	37.54	41.73	41.73
Gear 6	N/A	50.76	50.76

PERFORMANCE

	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (115 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual
--	--	---	---

Maximum speed (mph)	90	99	105
Acceleration 0-62 (mph)	15.5	12.9	13.3

SUSPENSION

	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (115 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual
--	--	---	---

Front	Pseudo MacPherson with anti-roll bar		
Rear	Pseudo MacPherson with anti-roll bar		

BRAKES

	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (115 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual
--	--	---	---

Front	Ventilated disc		
Rear	Disc		

SPECIFICATIONS

DIMENSIONS	Compact	Medium	Long	Crew Cab Long
Overall exterior length (mm)	4609	4959	5309	5309
Overall exterior width, excluding door mirrors (mm)	1920	1920	1920	1920
Overall exterior width, door mirrors unfolded (mm)	2204	2204	2204	2204
Overall exterior height (mm)	1910	1910*	1935	1935
Wheelbase (mm)	2925	3275	3275	3275
Front track width, wheel centre (mm)	1627	1627	1627	1627
Rear track width, wheel centre (mm)	1600	1600	1600	1600
Front overhang (mm)	881	881	881	881
Rear overhang (mm)	803	803	1153	1153
Ground clearance (mm)	150	150	150	150
Turning circle between kerbs (m)	11.3	12.4	12.4	12.4
Turning circle between walls (m)	11.8	12.9	12.9	12.9
Floor load length (mm)	2162	2512	2862	2365
Floor load length (with Smart Cargo [®]) (mm)	3324	3674	4026	N/A
Mid-height load length (mm)	1835	2185	2535	1700
Max. load height (mm)	1397	1397	1397	1339
Max. load width between sides (mm)	1628	1628	1628	1618
Max. load width between wheel arches (mm)	1258	1258	1258	1258
Sliding side door max opening height (mm)	1238	1241	1241	1241
Sliding side door max opening width (mm)	745	935	935	935
Rear door max opening height (mm)	1220	1220	1220	1220
Rear door max opening width (mm)	1282	1282	1282	1282
Load area volume (m ³)	4.6	5.3	6.1	4.0
Load area volume with Smart Cargo [®] (m ³)	5.1	5.8	6.6	N/A

WEIGHTS	Compact	Medium		Long	
	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (115 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual
Gross train weight – total (kg)	4010	4040	4060	5000	5000
Gross vehicle weight – total (kg)	2610	2640	2660	3100	3100
Kerb weight (kg)	1510	1522	1533	1613	1666
Payload (kg)	1100	1118	1127	1487	1434
Maximum trailer weight (braked) (kg)	1800	2000	1800	2500	2500
Maximum trailer weight (unbraked) (kg)	750	750	750	750	750
Front axle plated mass (kg)	1500	1500	1500	1500	1500
Rear axle plated mass (kg)	1500	1500	1500	1800	1800

● = Standard ○ = Optional – = Not available

* Height increase to 1940 mm with the 2.0 Diesel (120 DIN hp) 6-Speed Manual.

‡ Smart Cargo is an optional feature on Base and Comfort grades, excluding Crew Cab.

SPECIFICATIONS

OFF ROAD	1.6 Diesel (95 hp) 5-Speed Manual	1.6 Diesel (115 hp) 6-Speed Manual	2.0 Diesel (120 hp) 6-Speed Manual
Min. running ground clearance (mm)	150	150	150
Approach angle (°)	17.1	17.1	17.1
Departure angle (°)	19.9/21.1	21.1	21.1

ALLOY WHEELS	Base and Combi	Comfort	Comfort Crew
16" steel wheels	●	–	–
16" steel wheels with wheel caps (5-triple-spoke)	–	●	●
Full spare wheel	●	●	●

● = Standard ○ = Optional – = Not available



1627 mm
1920 mm



881 mm	2925 / 3275 / 3275 mm	803 / 803 / 1153 mm
4609 / 4959 / 5309 mm		

1910–1940 mm



1600 mm
1920 mm

EQUIPMENT

EXTERIOR STYLING

	Base	Comfort	Combi
Silver insert on upper front grille	–	●	–
Silver surround on lower front grille	–	●	●
Silver surrounds on front fog lamps	–	●	●
Black front and rear bumper	●	–	●
Body-coloured front and rear bumper	–	●	●
Black door mirrors and door handles	●	–	●
Body-coloured door mirrors and door handles	–	●	–
Smoke tinted (30%) privacy glass on rear passenger windows	●	●	–
Midnight tinted (70%) privacy glass on rear windows	–	–	●
Short antenna	●	●	●

EXTERIOR COMFORT

	Base	Comfort	Combi
Power-adjustable and heated door mirrors	●	●	●
Remote door lock	●	●	●
Twin sliding side doors	●	●	●
Panel (without side windows)	●	●	–
Two sliding side windows	–	–	●
Panel rear wing doors with 180° opening	●	●	–
Rear tailgate with wiper	–	○*	●

● = Standard ○ = Optional – = Not available

* Optional on Comfort grade, Medium and Long lengths only. Excluding 1.6 Diesel 95 DIN hp.

EQUIPMENT

INTERIOR COMFORT

	Base	Comfort	Combi
White LCD multi-information display	●	●	●
Front overhead assist grips	●	●	—
Cruise Control switch on steering wheel	●	●	●
Manual air conditioning	○	●	○
Power windows and mirrors	●	●	●
Auto up & down function on all power windows	●	●	●
Noise reduction layer on windshield glass	—	●	—
Front room lamp (bulb type)	●	●	●
Driver's & front passenger personal lamps (bulb type)	—	●	—
2nd row rear passenger room lamp (bulb type)	—	—	●
3rd row rear passenger room lamp (bulb type)	—	—	●
12V plug in glovebox	●	●	●
Rear 12V plug	●	●	●
Power child safety door lock	—	—	●
Inside rear-view mirror	—	—	●
Driver's seat armrest	●	●	●
2-seater front passenger bench	●	●	●
Height-adjustable driver's seat	●	●	●
Adjustable lumbar support on driver's seat	○*	●	●
2nd row 3-seat rear bench (1/3: 2/3 split folding)	—	—	●
3rd row 3-seat rear bench (1/3: 2/3 split folding)	—	—	●

STORAGE

	Base	Comfort	Combi
Front coolbox	●	●	●
Glovebox lamp	●	●	●
Storage under passenger's bench	—	—	●
Front door pockets	●	●	●
Front cup holders	●	●	●
Plastic floor trim in cab	●	●	●

MULTIMEDIA

	Base	Comfort	Combi
DAB	●	●	●
Radio player	●	●	●
Bluetooth® hands-free system	●	●	●
4 speakers (2 tweeters, 2 woofers)	●	●	●
Aux-in connector	●	●	●
USB connector	●	●	●

SAFETY

	Base	Comfort	Combi
Front driver & passenger airbags	●	●	—
Side front airbags	—	—	●
Front passenger airbag on/off switch	●	●	●
Panel bulkhead	●	—	—
Panel bulkhead with window and protective grille	—	●	—
ISOFIX seat fixing	—	—	●
Hill-start Assist Control (HAC)	●	●	●
Vehicle Stability Control (VSC)	●	●	●
Adjustable Speed Limiter (ASL)	●	●	●
Anti-lock Braking System (ABS) with Electronic Brake force Distribution (EBD)	●	●	●
Brake Assist (BA)	●	●	●
Cruise Control	●	●	●
Tyre Pressure Monitoring System	●	●	●
Daytime running lights (bulb type)	●	●	●
Front fog lights	—	●	—
High-mounted stop lamp (LED type)	●	●	●
Multi-reflector halogen headlamps	●	●	●
Rear combination lamps (bulb type)	●	●	●

PERFORMANCE, TRANSPORT & PROTECTION

	Base	Comfort	Combi
Stop & Start System	● ⁵	● ⁵	●
Black protection moulding on side doors	●	—	●
Body-coloured protection moulding on side doors	—	●	—

PACKS

	Base	Comfort	Combi
Air conditioning	○	—	○
Smart Cargo	○	○	—
Air conditioning & Smart Cargo	○	—	—
PVC Seats & air conditioning	—	—	○
Safety + Security Pack	—	○	—
Premium Pack	—	○	—
Tailgate	—	○ [°]	—

● = Standard ○ = Optional — = Not available

* Optional as part of Smart Cargo functionality.

⁵ Excluding 1.6 Diesel 95 DIN hp.

[°] Optional on Comfort grade, Medium and Long lengths only, excluding 1.6 Diesel 95 DIN hp.

ALL NEW PROACE, OPEN FOR BUSINESS







ALWAYS A
BETTER WAY

ALL NEW PROACE. THIS IS VAN LIFE.

www.toyota.co.uk/proace



To continue your
experience scan
this QR code.

While every effort is made to reproduce accurate information, we reserve the right to change specifications, equipment and availability without prior notice. This brochure cannot be regarded as infallible (some of the vehicles shown may not be to exact UK specification), and as such does not constitute an offer for sale of any particular vehicle or specification. For the latest specification and availability, we ask that you contact your local Toyota Centre. Vehicle body colours may differ slightly from the printed images in this brochure. The readability of QR codes present in this brochure may differ according to the scanner used. Toyota cannot be held responsible should your device not be able to read any QR codes or interactive content markers.

Quoted mpg & CO₂ figures: All mpg and CO₂ emissions figures quoted in this brochure are sourced from official EU-regulated test results. These are provided for comparability purposes only and may not reflect your actual driving experience. Fuel consumption varies significantly depending on a number of factors, including driving style, conditions, speed and vehicle weight. In order to allow consumers to compare and make an informed choice between one vehicle and another, there is a European Commission standard (93/116/EC and 692/2008) to measure fuel consumption. This common standard must be adhered to by all manufacturers selling motor vehicles in the EU and is the basis for fuel consumption figures published by each manufacturer. For further information please visit www.dft.gov.uk/vca/fcb/faqs-fuel-consumptio.asp or speak to your local Toyota Centre.

The use of the term 'Toyota Accessories' should not be taken to imply that the products on the accessory pages are actually manufactured by the Toyota Motor Corporation or Toyota (GB) PLC. The After Sales Division is continually updating and changing specifications of accessories and reserves the right to do so at any time without prior notice.

© 2016 by Toyota Motor Europe NV/SA ('TME'). No part of this publication may in any way be reproduced without the prior written approval of Toyota (GB) PLC.



Toyota UK



@ToyotaGB

GBNGV-0716B-PA November 2016